





This is to certify that: **Breedon Trading Ltd** 

T/A Welsh Slate

Ffestiniog Slate Quarry Blaenau Ffestiniog

Gwynedd LL41 3ND

United Kingdom

Holds Certificate Number: KM 08014

In respect of:

**BS EN 12326-1** 

Slate and stone products for discontinuous roofing and cladding

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

Shahm Barhom, Group Product Certification Director

First Issued: 2020-01-07 Effective Date: 2023-09-28 Latest Issue: 2023-09-28 Expiry Date: 2025-07-01

Page: 1 of 4

For and on behalf of BSI:

No. KM 08014

BS EN 12326-1:2014 Slate and stone for discontinuous roofing and external cladding Part 1: Specifications for slate and carbonate slate

### **Roofing Slates**

**Manufacturing Location No.1:** 

**Breedon Trading Ltd T/A Welsh Slate** Penrhyn Quarry, Bethesda, Near Bangor, LL57 4YG

Characteristics	Roofing Slate Type		
	Penrhyn Capital	Penrhyn County	Penrhyn Celtic
Work size lengths:	250 to 1200mm inclusive	250 to 1200mm inclusive	250 to 1200mm inclusive
Work size widths:	150 to 900mm inclusive	150 to 900mm inclusive	150 to 900mm inclusive
Nominal thickness:	5.5mm <+/- 35%	7.0mm <+/- 35%	9.0mm <+/- 35%
Mean bending:	Mean Failure load Longitudinal > 1000 N, Mean Failure load Transverse > 500 N	Mean Failure load Longitudinal > 1000 N, Mean Failure load Transverse > 500 N	Mean Failure load Longitudinal 2685 N, Mean Failure load Transverse 1353 N
Characteristic modulus of rupture Longitudinal:	>46MPa	>58MPa	>50MPa
Characteristic modulus of rupture Transverse:	>30MPa	>30MPa	>30MPa
Grain:	Longitudinal	Longitudinal	Longitudinal
Thermal cyclic test:	T1	T1	T1
Carbonate content:	<5%	<5%	<5%
Deviation of length and width:	+/-5mm	+/-5mm	+/-5mm
Reaction to fire performance:	Class A1	Class A1	Class A1
Release of dangerous substances:	All Welsh Slate roofing products are inert unless the physical characteristics of the individual items are altered by processing		

First Issued: 2020-01-07 Effective Date: 2023-09-28 Latest Issue: 2023-09-28 Expiry Date: 2025-07-01

Page: 2 of 4

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.

No. KM 08014

BS EN 12326-1:2014 Slate and stone for discontinuous roofing and external cladding Part 1: Specifications for slate and carbonate slate

### **Roofing Slates**

**Manufacturing Location No.2:** 

**Breedon Trading Ltd T/A Welsh Slate** Cwt-y-Bugail Quarry, Llan Ffestiniog LL41 4RF

Characteristics	Roofing Slate Type		
	Cwt-y-Bugail Capital	Cwt-y-Bugail County	Cwt-y-Bugail Celtic
Work size lengths:	250 to 1200mm inclusive	250 to 1200mm inclusive	250 to 1200mm inclusive
Work size widths:	150 to 900mm inclusive	150 to 900mm inclusive	150 to 900mm inclusive
Nominal thickness:	5.5mm <+/- 35%	7.0mm <+/- 35%	9.0mm <+/- 35%
Mean bending:	Mean Failure load Longitudinal > 800 N, Mean Failure load Transverse > 400 N	Mean Failure load Longitudinal > 1000 N, Mean Failure load Transverse > 500 N	Mean Failure load Longitudinal > 1000 N, Mean Failure load Transverse > 500 N
Characteristic modulus of rupture Longitudinal:	>50MPa	>50MPa	>50MPa
Characteristic modulus of rupture Transverse:	>20MPa	>20MPa	>20MPa
Grain:	Longitudinal	Longitudinal	Longitudinal
Thermal cyclic test:	T1	T1	T1
Carbonate content:	<5%	<5%	<5%
Deviation of length and width:	+/-5mm	+/-5mm	+/-5mm
Reaction to fire performance:	Class A1	Class A1	Class A1
Release of dangerous substances:	All Welsh Slate roofing products are inert unless the physical characteristics of the individual items are altered by processing		

First Issued: 2020-01-07 Effective Date: 2023-09-28 Latest Issue: 2023-09-28 Expiry Date: 2025-07-01

Page: 3 of 4

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.

No. KM 08014

BS EN 12326-1:2014 Slate and stone for discontinuous roofing and external cladding Part 1: Specifications for slate and carbonate slate

### **Roofing Slates**

**Manufacturing Location No.3:** 

**Breedon Trading Ltd T/A Welsh Slate** Ffestiniog Slate Quarry, Blaenau Ffestiniog, Gwynedd, LL41 3ND

Characteristics	Roofing Slate Type			
	Ffestiniog Capital	Ffestiniog County	Ffestiniog Celtic	
Work size lengths:	250 to 1200mm inclusive	250 to 1200mm inclusive	250 to 1200mm inclusive	
Work size widths:	150 to 900mm inclusive	150 to 900mm inclusive	150 to 900mm inclusive	
Nominal thickness:	5.0mm <+/- 35%	7.0mm <+/- 35%	9.0mm <+/- 35%	
Mean bending:	Mean Failure load Longitudinal > 800 N, Mean Failure load Transverse > 400 N	Mean Failure load Longitudinal > 1000 N, Mean Failure load Transverse > 500 N	Mean Failure load Longitudinal > 1000 N, Mean Failure load Transverse > 500 N	
Characteristic modulus of rupture Longitudinal:	>40MPa	>40MPa	>40MPa	
Characteristic modulus of rupture Transverse:	>25MPa	>25MPa	>25MPa	
Grain:	Longitudinal	Longitudinal	Longitudinal	
Thermal cyclic test:	T1	T1	T1	
Carbonate content:	<5%	<5%	<5%	
Deviation of length and width:	+/-5mm	+/-5mm	+/-5mm	
Reaction to fire performance:	Class A1	Class A1	Class A1	
Release of dangerous substances:	All Welsh Slate roofing products are inert unless the physical characteristics of the individual items are altered by processing			

First Issued: 2020-01-07 Effective Date: 2023-09-28 Latest Issue: 2023-09-28 Expiry Date: 2025-07-01

Page: 4 of 4

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.